

Café Zeb (Berkeley Law School)

UCB Routine Inspection - Food

Current Managers

Not Assigned

Inspection Date

Apr 26, 2024

Inspection Contributors

Muzna Rauf

Inspection Resolvers

-

Notes

Facility was issued a score of 91% (Grade A) during a routine inspection conducted on 04/26/24.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

Management has agreed to voluntarily close down the café due to no hot water available throughout the facility. Refer to violation #21a for more details.

Re-inspection to check for compliance of violation #21a scheduled for 4/29/2024.

Re-inspection to check for compliance of violation #35 scheduled for 5/24/2024.

— Muzna Rauf

Employee Health, Hygiene, & Knowledge * 1

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Observed missing food safety manager certificate on site.
Action Plan: California Retail Food Code §113948. All employees that prepare, handle, or serve non-packaged potentially hazardous foods shall have passed an approved safety certification program. Correct within 30 days.
Tags: Minor Violation (2 points)
Inspector: Muzna Rauf
Status: Not Resolved

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Time & Temperature Relationship * 1

7. Proper hot and cold holding temperatures

Public Comments: Observed the following:
1) Tuna salad measured at 44.9 degrees F at the refrigerated sandwich prep table.
2) Salsa measured at 47.5 degrees F at the refrigerated sandwich prep table.
Ambient air of sandwich prep table measured at 41 degrees F and below.
As per staff, the items are prepared in the morning and placed in the cold holding pans.
Instructed staff to cool the food items to 41 degrees F and below in the refrigerator before placing them in the cold holding unit.

Action Plan: California Retail Food Code §113996 (a) Except during preparation, cooking, cooling, transportation to or from a retail food facility for a period of less than 30 minutes, or when time is used as the public health control as specified under Section 114000, or as otherwise provided in this section, potentially hazardous food shall be maintained at or above 135°F, or at or below 41°F.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf
Status: Not Resolved

8. Time as public health control; procedures and records

Public Comments:
Inspector: Muzna Rauf
Status: N/O

9. Proper cooling methods

Public Comments:
Inspector: Muzna Rauf
Status: N/O

10. Proper cooking time and temperature

Public Comments:

Inspector: Muzna Rauf

Status: N/O

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:
Inspector: Muzna Rauf
Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:
Inspector: Muzna Rauf
Status: N/A

Additional Risk Factors * 1

18. Compliance with variance, specialized process & HACCP

Public Comments:
Inspector: Muzna Rauf
Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:
Inspector: Muzna Rauf
Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:
Inspector: Muzna Rauf
Status: N/A

21 a. Hot water available

Public Comments: Observed the following:

1) Hot water measured at 81.6 degrees F at the handwash sink.

2) Hot water measured at 83.5 degrees F at the 3-compartment warewash sink.

As per building manager, the hot water pump was replaced recently but HVAC found two broken parts that need to be replaced before hot water can be supplied throughout the building. Facilities notified by building manager to have hot water restored by Monday 4/29/2024 or café will remain closed for business until the issue is resolved.

General Manager for the café has agreed to voluntarily shut down the food facility. As per management, the café is closed over the weekend. Re-inspection to check for hot water compliance scheduled for 4/29/2024.

Action Plan:

California Retail Food Code §114192(a). Hot water shall be supplied at a minimum temperature of at least 120 degrees F measured from the faucet of warewash sinks, food prep sinks, and janitorial sinks. Hot water measured below 100 degrees F throughout the food facility will result in closure. Correct immediately.

Tags:

Major Violation (4 points)

Inspector:

Muzna Rauf

Status:

Not Resolved

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector:

Muzna Rauf

Status:

Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector:

Muzna Rauf

Status:

Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector:

Muzna Rauf

Status:

Compliant

General Retail Factors * 1

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: N/O

27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: N/O

29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments: Observed the following:
1) Non-operational heating element inside mechanical dish machine. Dish machine is currently washing with cold water. Instructed staff to discontinue using dish machine until it is repaired. Re-inspection to check for compliance scheduled for 5/24/2024.

Action Plan: California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair. Equipment must be repaired and in use or removed from the facility.

California Retail Food Code §114130(b). All new and replacement food-related and utensil-related equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program. When current equipment is in need of replacement, the equipment must be replaced with restaurant grade ANSI/NSF approved equipment. Correct at equipment replacement.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

41. Plumbing; fixtures, backflow devices, drainage

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Grade = A

Grade A - 90 to 100% (Generally superior in food handling practices and overall food facility maintenance).

Grade B - 80 to 89% (Generally good in food handling practices and overall food facility maintenance).

Grade C - 70 to 79% (Generally acceptable in food handling practices & overall general food facility maintenance).

Score - 0 to 69% (Poor in food handling practices and overall general food facility maintenance).

All food facilities that have a critical violation may be subject to closure regardless of the score received on the inspection report. Food facilities that score below seventy percent (70%) twice within a twelve (12) month period are subject to closure and further legal action.

When a facility is closed, a notice of closure will be posted on the entrance door that will state reason(s) for closure. The sign must remain posted until the facility is reopened by the inspector. Health permit will be suspended upon closure; re-inspection will be scheduled when violations are abated.

Inspector: Muzna Rauf

Status: Compliant