

California Memorial Stadium - Concessions, East Rim & Maxwell Field (Levy Restaurants | UC Berkeley Athletics)

UCB Routine Inspection - Food

Current Managers

Ashley Anton, Jon Severson, Joshua Macaluso,
Maria Ochoa, Shawn Gilpin

Inspection Date

Sep 30, 2023

Inspection Contributors

Muzna Rauf

Inspection Resolvers

-

Notes

Facility was issued a score of 93 (PASS) during a routine inspection conducted on 09/30/2023.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

– Muzna Rauf

Employee Health, Hygiene, & Knowledge *

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Manager Certification Name: Joshua Macaluso
Expiration Date: 04/28/2026
Inspector: Muzna Rauf
Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands * 2

5. Hands clean and properly washed; proper glove use

Public Comments: Observed food employee at Forge Pizza Fire Truck on the East Rim not removing gloves when switching tasks from handling food to opening cooler door. Employee failed to wash hands and re-glove before proceeding back to the food prep station. Employee instructed to change gloves, wash hands and done new gloves before heading back to the food prep station.

Person in charge notified on site to have all employees handling food use their gloves for a single task only. Employees to wash hands and done new gloves before proceeding to handle food.

Action Plan: California Retail Food Code §113953.3. Employees shall wash their hands before handling any food or food related items and after any task that which may cause potential cross contamination. Correct Immediately.

California Retail Food Code §113961(a&b). Employees shall minimize bare hand contact of food with the use of utensils and gloves whenever possible. Correct Immediately.

California Retail Food Code §113973

(a) Single-use gloves shall be worn when contacting food and food contact surfaces if the employee has any cuts, sores, rashes, artificial nails, nail polish, rings (other than a plain ring), uncleanable orthopedic support devices, or fingernails that are not clean, smooth, or neatly trimmed.

(b) Whenever gloves are worn, they shall be changed, replaced, or washed as often as handwashing is required by this part. Single-use gloves shall not be washed.

(c) If used, single-use gloves shall be used for only one task, such as working with ready-to-eat food or with raw food of animal origin, used for no other purpose, and shall be discarded when damaged or soiled, or when interruptions in the food handling occur.

Correct immediately.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Not Resolved

6. Adequate hand washing facilities: supplied and accessible

Public Comments: Observed the following:

- 1) Handwash station blocked by rolling cart at the Evergood grilled sausage stand on the East Rim. Employee removed cart at the time of the inspection. Violation corrected on site.
- 2) Non-operational electronic paper towel dispenser inside concession stand 329. As per staff, the dispenser needs replacement batteries.
- 3) Handwash station situated on the floor next to the Michelob Ultra alcohol concession stand on the East Rim.

Action Plan: California Retail Food Code §113953 (b). Handwashing facilities shall be sufficient in number and conveniently located so as to be accessible at all times for use by food employees.

California Retail Food Code §113953.1. (a) A handwashing facility shall be clean, unobstructed, and accessible at all times for employee use.

California Retail Food Code §114378.2. (c) Handwashing facilities shall be equipped with handwashing cleanser and single-use sanitary towels.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

8. Time as public health control; procedures and records

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/O

10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:
Inspector: Muzna Rauf
Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:
Inspector: Muzna Rauf
Status: N/A

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Public Comments:
Inspector: Muzna Rauf
Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:
Inspector: Muzna Rauf
Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sinks measured at 100 degrees F and above.

Inspector: Muzna Rauf

Status: Compliant

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

General Retail Factors * 3

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

36. Equipment, utensils and linens: storage and use

Public Comments: Observed water leaking from underneath the Pepsi beverage dispensing soda machine inside concession booth 329. Pepsi service technician was on site, and shut down the machine to service it at the time of the inspection.

Action Plan: California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments: Observed non-operational light bulb inside continental refrigerator located within the concession stand on concourse level north of the stadium.

Action Plan: California Retail Food Code §114252. In every room and area in which any food is prepared, manufactured, processed, or prepackaged, or in which equipment or utensils are cleaned, sufficient natural or artificial lighting shall be provided to produce the following light intensity, while the area is in use:

- (a) At least 10 foot candles for the following:
 - (1) At a distance of 30 inches above the floor, in walk-in refrigeration units and dry food storage areas.
 - (3) Inside equipment, such as reach-in or under-the-counter refrigerators.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

41. Plumbing; fixtures, backflow devices, drainage

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments: Observed accumulation of water on the floor adjacent to the Pepsi soda dispensing machine inside concession booth 329.

Action Plan: California Retail Food Code §114268. All floor surfaces within a facility must be smooth, clean, and in good repair at all times.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Score = 93

PASS - 80 to 100

CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf

Status: Compliant