

# California Memorial Stadium ( Levy Restaurants | UC Berkeley Athletics )

## UCB Follow-Up Inspection - Food

### Current Managers

Ashley Anton, John Heberden, Jon Severson,  
Michael Waterman, Tim Wetzel,  
Toussaint Potter

### Inspection Date

Sep 14, 2024

### Inspection Contributors

Muzna Rauf

### Inspection Resolvers

-

## Notes

A follow-up inspection was conducted to check for compliance of violations #7, #15, #18, and #21(a) as observed on inspection report dated 08/31/2024.

All violations have been abated with reasonable compliance.

– Muzna Rauf

## Observations and Corrective Actions \*

### Observations and Corrective Actions

Public Comments: Violation #7 for merchandiser fridge being used to hold potentially hazardous food items has been corrected with reasonable compliance. Levy has provided Cafe 15 with a commercial refrigerator to hold their food items.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #15 for I.B.s using a soft serve machine not licensed by the California Department of Food and Agriculture (CDFA) has been corrected with reasonable compliance. I.B.s has removed the soft serve machine from the stand pending licensing by CDFA.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #18 for no HACCP plan available on site for sushi vendor has been corrected with reasonable compliance. HACCP plan has been submitted by operator for review.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #21a for no hot water in stand 6 has been corrected with reasonable compliance. Hot water temperature measured at 120 degrees F and greater at the 3-compartment warewash sink in stand 6.

Inspector: Muzna Rauf

Status: Compliant