

Clark Kerr Dining Commons (Clark Kerr Campus)

UCB Routine Inspection - Food

Current Managers

Andrea Brendlinger, Bettye Boles, Peter Hughes,
Rosalinda Guintu

Inspection Date

Sep 9, 2024

Inspection Contributors

Muzna Rauf

Inspection Resolvers

Peter Hughes

Notes

Facility was issued a score of 90% (Grade A) during a routine inspection conducted on 09/09/24.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

– Muzna Rauf

Employee Health, Hygiene, & Knowledge *

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Certification Name: Peter Hughes
Expiration Date: 5/19/2026

Inspector: Muzna Rauf

Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: Observed ATOSA merchandiser refrigerator being used to hold potentially hazardous food items such as Daiya Oat Cream cheese slices and open container of Sown Oat Creamer. Refrigerator has a pool of water underneath it and is not properly cooling. Ambient temperature of refrigerator measured at 46 degrees F at the time of the inspection.

As per Daiya, the cheese slices are not shelf stable and need to be refrigerated. As per Sown, their Oat Creamer is not shelf stable once opened and needs to be refrigerated and consumed within 30 days.

Discontinue using merchandiser refrigerator to hold potentially hazardous food items.

Executive chef removed all food products from the refrigerator at the time of the inspection.

Action Plan: California Retail Food Code §113996(a). Except during preparation, cooking, cooling, transportation to or from a retail food facility for a period of less than 30 minutes, or when time is used as the public health control as specified under Section 114000, or as otherwise provided in this section, potentially hazardous food shall be maintained at or above 135°F, or at or below 41°F.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Resolved

Resolution:

Resolved Update

Resolved on Sep 11, 2024

Updated by Peter Hughes on Sep 11, 2024

Food removed and staff instructed to not use

Incident Attachments:

Images:



8. Time as public health control; procedures and records

Public Comments:

Inspector: Muzna Rauf

Status: N/O

9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/O

10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: Observed the following:

- 1) Build up of black residue along the inside panel of the ice machine. Black residue is in contact with the ice. As per chef, the ice is not currently being used in food. The ice machine is being replaced with a new one that is already at the facility. Chef had ice machine emptied at the time of the inspection.
- 2) Deteriorated and black discolored cutting board located on the food prep surface. Cutting board was not being actively used at the time of the inspection.

Action Plan: California Retail Food Code §114097. All food contact surfaces shall be clean and sanitized at all times. Correct Immediately.

California Retail Food Code §114117. All equipment and/or utensils in contact with potentially hazardous foods shall be cleaned and sanitized at least once every 4 hours. Correct immediately.

California Retail Food Code §114099.6. Manual chemical sanitization shall only take place in one of three ways:

1. Equipment and utensils shall be in contact with a chlorine solution at 100ppm for a minimum of 30 seconds.
2. Equipment and utensils shall be in contact with an iodine solution at 25ppm for a minimum of 60 seconds.
3. Equipment and utensils shall be in contact with a quaternary ammonia solution at 200ppm for a minimum of 60 seconds.

Correct Immediately.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Resolved

Resolution:

Resolved Update

Resolved on Sep 11, 2024



Updated by Peter Hughes on Sep 11, 2024

All ice in machine was removed. Bin and reachable areas in ice maker were cleaned with food grade ice machine cleaner. Bin and maker were allowed to dry and then turned back on. We are waiting for installation of our new ice machine

##470698

Incident Attachments:

Images:



15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:
Inspector: Muzna Rauf
Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:
Inspector: Muzna Rauf
Status: N/A

Additional Risk Factors * 1

18. Compliance with variance, specialized process & HACCP

Public Comments:
Inspector: Muzna Rauf
Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:
Inspector: Muzna Rauf
Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:
Inspector: Muzna Rauf
Status: N/A

21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sink measured at 100 degrees F and above.

Inspector: Muzna Rauf

Status: Compliant

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: Observed the following:

1) Two flies in the back of the facility next to the food storage room.

2) Two flies in the food servery area.

Action Plan: California Retail Food Code §114259.1. The premises of each food facility shall be kept free of vermin. Cockroaches, mice, rats, flies and similar pests that carry disease are considered to be vermin. If live vermin are observed by the staff, pest abatement must be contacted immediately. Correct immediately.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: In Progress

Resolution:

In Progress Update

Updated by Peter Hughes on Sep 11, 2024

Working with pest management on the fly situation

General Retail Factors * 3

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: N/O

29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments: Observed the following:

- 1) Torn door gasket to True refrigerator located at the front of the facility.
- 2) ATOSA merchandiser refrigerator adjacent to the servery is not properly cooling. Ambient air of refrigerator measured at 46 degrees F. Refrigerator is leaking water.
- 3) Deteriorated and black discolored cutting board located on top of the food prep surface.

Action Plan: California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair.

California Retail Food Code §114130(b). All new and replacement food-related and utensil-related equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program. When current equipment is in need of replacement, the equipment must be replaced with restaurant grade ANSI/NSF approved equipment. Correct at equipment replacement. Facility must obtain approval from Environmental Health prior to replacing equipment.

California Retail Food Code §114130.3& 114177. Surfaces such as cutting blocks and boards that are subject to scratching and scoring shall be resurfaced if they can no longer be effectively cleaned and sanitized, or discarded if they are not capable of being resurfaced. Correct within 1 week.




Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



36. Equipment, utensils and linens: storage and use

Public Comments: Observed ATOSA merchandiser refrigerator being used to hold potentially hazardous food items such as Daiya Oat Cream cheese slices and open container of Sown Oat Creamer.

Action Plan: California Retail Food Code §113885. "Refrigeration unit" means a mechanical unit that extracts heat from an area through liquefaction and evaporation of a fluid by a compressor, flame, or thermoelectric device, and includes a mechanical thermostatic control device that regulates refrigerated blown air into an enclosed area at or below the minimum required food storage temperature of POTENTIALLY HAZARDOUS FOODS in conformance with Section 113996.

California Retail Food Code §114130 (b) Except as specified in subdivision (c), all new and replacement food related and utensil-related equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program. In the absence of an applicable ANSI certified sanitation standard, food-related and utensil-related equipment shall be evaluated for approval by the enforcement agency.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Resolved

Resolution:

Resolved Update

Resolved on Sep 11, 2024

Updated by Peter Hughes on Sep 11, 2024

37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments: Observed the following:
1) Non-operational light under the exhaust hood above the Alto-Sham ovens.
2) Non-operational light above the fryers.
3) Accumulation of dust and grease on the hood filters, and hood surface above the fryers, stove top and ovens.

Action Plan: California Retail Food Code §114252. In every room and area in which any food is prepared, manufactured, processed, or prepackaged, or in which equipment or utensils are cleaned, sufficient natural or artificial lighting shall be provided. Correct within 1 week.

California Retail Food Code §114149.2. All mechanical intake and exhaust air ducts shall be clean and filters shall be routinely changed to prevent the contamination of food. Correct within 2 weeks.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: In Progress




Resolution:

In Progress Update

Updated by Peter Hughes on Sep 11, 2024
Ticket placed for them to get replaced
#471164

Incident Attachments:

Images:



39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

41. Plumbing; fixtures, backflow devices, drainage

Public Comments: Observed hot water leaking from the pipe in the back of the Catering storage room located in the basement. Staff has placed a plastic container underneath pipe to collect the hot water.

Action Plan: California Retail Food Code §114190. All plumbing and plumbing fixtures shall be installed in compliance with applicable local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Correct within 1 week.



Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Grade = A

Grade A - 90 to 100% (Generally superior in food handling practices and overall food facility maintenance).

Grade B - 80 to 89% (Generally good in food handling practices and overall food facility maintenance).

Grade C - 70 to 79% (Generally acceptable in food handling practices & overall general food facility maintenance).

Score - 0 to 69% (Poor in food handling practices and overall general food facility maintenance).

All food facilities that have a critical violation may be subject to closure regardless of the score received on the inspection report. Food facilities that score below seventy percent (70%) twice within a twelve (12) month period are subject to closure and further legal action.

When a facility is closed, a notice of closure will be posted on the entrance door that will state reason(s) for closure. The sign must remain posted until the facility is reopened by the inspector. Health permit will be suspended upon closure; re-inspection will be scheduled when violations are abated.

Inspector: Muzna Rauf

Status: Compliant