Edmond's Café (International House)

UCB Routine Inspection - Food

Current Managers

Inspection Date

Henry Park, Traci Ellicott

Nov 3, 2023

Inspection Contributors

Muzna Rauf

Inspection Resolvers

_

Notes

Facility was issued a score of 97 (PASS) during a routine inspection conducted on 11/03/2023.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

- Muzna Rauf

Employee Health, Hygeine, & Knowledge *

1a. Demonstartion of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Certification Name: Traci Ellicott

Expiration Date: 05/05/2028

Inspector: Muzna Rauf Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

8. Time as public health control; procedures and records

Public Comments:

Inspector: Muzna Rauf

Status: N/A

9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/A

10. Proper cooking time and temperature

Public Comments:

Inspector: Muzna Rauf

Status: N/O

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/A

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:

Inspector: Muzna Rauf

Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:

Inspector: Muzna Rauf

Status: N/A

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Inspector: Muzna Rauf

Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

21 a. Hot water available

Public Comments: Observed hot water measured at 98 degrees F at the 3-compartment warewash sink and 80.3

degrees at the handwash sink at the beginning of the inspection. Hot water issue was resolved by the end of the inspection. Hot water is currently being measured at 120 degrees and above at the 3-compartment warewash sink and at 100 degrees and above at the handwash sink.

Action Plan: California Retail Food Code §114192. All facilities shall have an adequate supply of hot and

cold water that is protected, pressurized, potable, and delivered through an approved plumbing

system. Correct Immediately.

California Retail Food Code §114192(a). Hot water shall be supplied at a minimum

temperature of at least 120 degrees F measured from the faucet of warewash sinks, food prep sinks, and janitorial sinks. Hot water measured below 100 degrees F throughout the food

facility will result in closure. Correct immediately.

California Retail Food Code §113953(c). Handwashing facilities shall be equipped to provide

warm water under pressure for a minimum of 15 seconds through a mixing valve or

combination faucet. If the temperature of water provided to a handwashing sink is not readily adjustable at the faucet, the temperature of the water shall be at least 100 degrees F, but not

greater than 108 degrees F. Correct within 24 hours.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Corrected on Site

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

General Retail Factors *

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: N/0

27. Food separated and protected

Inspector: Muzna Rauf Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: N/O

29. Toxic subtances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf Status: Compliant

33. Nonfood-contact surfaces clean

Inspector: Muzna Rauf Status: Compliant

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Inspector: Muzna Rauf Status: Compliant

36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf Status: Compliant

37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf Status: Compliant

39. Thermometers provided and accurate

Inspector: Muzna Rauf Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments: Observed wiping cloth stored in bucket with murky dirty sanitizer solution. Person in charge

had employee remake the sanitizer solution at the time of the inspection. Sanitizer solutions

need to be remade every 4 hours or earlier if needed.

Action Plan: California Retail Food Code §114185.1

(d) Wet wiping cloths used with a freshly made sanitizing solution and dry wiping cloths shall

be free of food debris and visible soil.

(e) Working containers of sanitizing solutions for storage of in-use wiping cloths shall be used

in a manner to prevent contamination of food, equipment, utensils, linens, or single-use

articles.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Corrected on Site

41. Plumbing; fixtures, backflow devices, drainage

Public Comments:

Inspector: Muzna Rauf Status: Compliant

42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Inspector: Muzna Rauf Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf Status: Compliant

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf Status: Compliant

50. Samples Collection

Inspector: Muzna Rauf Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Score = 97

PASS - 80 to 100 CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health

permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf Status: Compliant