

El Gallo "The Rooster"

UCB Routine Inspection - Mobile Food

Current Managers

Not Assigned

Inspection Date

Nov 8, 2023

Inspection Contributors

Muzna Rauf

Inspection Resolvers

-

Notes

Facility Address: Lawrence Berkeley National Laboratory
1 Cyclotron Rd, Berkeley, CA 94720

Mobile Food Truck was issued a score of 95 (PASS) during a routine inspection conducted on 11/08/2023.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

— Muzna Rauf

Employee Health, Hygiene, & Knowledge *

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Certification Name: Juan Minjares
Expiration Date: 03/23/2024
Inspector: Muzna Rauf
Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

6. Adequate hand washing sink: supplied and accessible

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

8. Time as public health control; procedures and records

Public Comments:
Inspector: Muzna Rauf
Status: N/A

9. Proper cooling methods

Public Comments:
Inspector: Muzna Rauf
Status: N/A

10. Proper cooking time and temperature

Public Comments:
Inspector: Muzna Rauf
Status: N/O

11. Proper reheating procedures for hot holding

Public Comments:
Inspector: Muzna Rauf
Status: N/O

Protection from Contamination * 1

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: Observed two deteriorated and yellow/black discolored cutting boards at the sandwich prep cooler being actively used at the time of the inspection. Ensure all cutting board surfaces are properly cleaned and sanitized daily especially when changing from raw food of animal origin to ready to eat food, between species of raw food of animal origin, between unwashed produce and potentially hazardous food.

Action Plan: California Retail Food Code §114097. All food contact surfaces shall be clean and sanitized at all times. Correct Immediately.

California Retail Food Code §114117. All equipment and/or utensils in contact with potentially hazardous foods shall be cleaned and sanitized at least once every 4 hours. Correct Immediately.

California Retail Food Code §114099.6. Manual chemical sanitization shall only take place in one of three ways:

1. Equipment and utensils shall be in contact with a chlorine solution at 100ppm for a minimum of 30 seconds.
2. Equipment and utensils shall be in contact with an iodine solution at 25ppm for a minimum of 60 seconds.
3. Equipment and utensils shall be in contact with a quaternary ammonia solution at 200ppm for a minimum of 60 seconds.

Correct Immediately.

Tags: Major Violation (4 points)

Inspector: Muzna Rauf
Status: Not Resolved

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:
Inspector: Muzna Rauf
Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:
Inspector: Muzna Rauf
Status: N/A

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Public Comments:
Inspector: Muzna Rauf
Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:
Inspector: Muzna Rauf
Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:
Inspector: Muzna Rauf
Status: N/A

21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sink measured at 100 degrees F and above.

Inspector: Muzna Rauf

Status: Compliant

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

General Retail Factors * 1

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: N/O

27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: N/O

29. Toxic substances & automotive equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

34. Warewashing sink: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

37. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

38. Thermometers provided and accurate

Public Comments: Observed no analog thermometer inside the reach in cooler holding potentially hazardous food.

Action Plan: California Retail Food Code §114157. Readily visible, accurate, easy to read thermometers shall be provided in all refrigeration units containing potentially hazardous foods at all times. Correct within 24 hours.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

39. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Plumbing, fixtures, equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

41. Refuse / Premises/ Janitorial / Exterior and surrounding area sanitary

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

42. Restroom facilities

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Cleaning & servicing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

44. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

46. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Compliance with safety requirements, fire extinguisher & lights shatter proof

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with water heater Requirements (3 gallon)

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Location of compressors

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Identification of owner

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Cleaning & servicing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

53. Compliance with height and width of occupied areas

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

54. Mobile water & waste water tanks installed

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Permit Suspension *

55. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

56. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

57. Score

Public Comments: Facility Score = 95

PASS - 80 to 100

CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf

Status: Compliant