Halal Shop

UCB Routine Inspection - Mobile Food

Current Managers

Inspection Date

Justin Gomez

Aug 22, 2024

Inspection Contributors

Muzna Rauf

Inspection Resolvers

-

Notes

Mobile Food Truck was issued a score of 99% (Grade A) during a routine inspection conducted on 08/22/2024.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

- Muzna Rauf

Employee Health, Hygeine, & Knowledge *

1a. Demonstartion of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Certification Name: Amin Mashriqi

Expiration Date: 05/06/2028

Inspector: Muzna Rauf Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

6. Adequate hand washing sink: supplied and accessible

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.

Temperature recordings of cooked food:

1) Chicken measured at 165 degrees F.

2) Rice measured at 155 degrees F.

Inspector: Muzna Rauf Status: Compliant

8. Time as public health control; procedures and records

Public Comments:

Inspector: Muzna Rauf

Status: N/A

9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/O

10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:

Inspector: Muzna Rauf

Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:

Inspector: Muzna Rauf

Status: N/A

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Public Comments:

Inspector: Muzna Rauf

Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sink measured at 100 degrees F and above.

Inspector: Muzna Rauf Status: Compliant

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

General Retail Factors * 1

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf Status: Compliant

27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf Status: Compliant

28. Washing fruits and vegetables

Inspector: Muzna Rauf

Status: N/O

29. Toxic subtances & automotive equipment

Public Comments:

Inspector: Muzna Rauf Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf Status: Compliant

34. Warewashing sink: installed, maintained, used; test equipment

Inspector: Muzna Rauf Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Inspector: Muzna Rauf Status: Compliant

36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf Status: Compliant

37. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf Status: Compliant

38. Thermometers provided and accurate

Public Comments: Observed non-functioning thermometer inside Turbo Air cooler holding potentially hazardous

food items. Ambient air of cooler measured at 41 degrees F and below. Instructed operator to

get a replacement thermometer.

Action Plan: California Retail Food Code §114157. Readily visible, accurate, easy to read thermometers

shall be provided in all refrigeration units containing potentially hazardous foods at all times.

Correct within 24 hours.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf Status: Not Resolved

39. Wiping cloths; properly used and stored

Inspector: Muzna Rauf Status: Compliant

40. Plumbing, fixtures, equipment

Public Comments:

Inspector: Muzna Rauf Status: Compliant

41. Refuse / Premises/ Janitorial / Exterior and surrounding area sanitary

Public Comments:

Inspector: Muzna Rauf Status: Compliant

42. Restroom facilities

Public Comments:

Inspector: Muzna Rauf Status: Compliant

43. Cleaning & servicing

Public Comments:

Inspector: Muzna Rauf Status: Compliant

44. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf Status: Compliant

45. Signs posted; last inspection report available

Inspector: Muzna Rauf Status: Compliant

46. Permits available

Public Comments:

Inspector: Muzna Rauf Status: Compliant

47. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf Status: Compliant

48. Compliance with safety requirements, fire extinguisher & lights shatter proof

Public Comments:

Inspector: Muzna Rauf Status: Compliant

49. Compliance with water heater Requirements (3 gallon)

Public Comments:

Inspector: Muzna Rauf Status: Compliant

50. Location of compressors

Public Comments:

Inspector: Muzna Rauf Status: Compliant

51. Identification of owner

Inspector: Muzna Rauf Status: Compliant

52. Compliance with height and width of occupied areas

Public Comments:

Inspector: Muzna Rauf Status: Compliant

53. Mobile water & waste water tanks installed

Public Comments:

Inspector: Muzna Rauf Status: Compliant

Increased Risk to Public Health *

55. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf Status: Compliant

Permit Suspension *

54. Permit Suspension

Public Comments:

Inspector: Muzna Rauf Status: Compliant

Inspection Score *

56. Score

Public Comments: Mobile Facility Grade = A

Grade A - 90 to 100% (Generally superior in food handling practices and overall food facility maintenance).

Grade B $\,$ - $\,$ 80 to 89% (Generally good in food handling practices and overall food facility maintenance).

Grade C - 70 to 79% (Generally acceptable in food handling practices & overall general food facility maintenance).

Score - 0 to 69% (Poor in food handling practices and overall general food facility maintenance).

Inspector: Muzna Rauf Status: Compliant