

# Kabob Trolley

## UCB Routine Inspection - Mobile Food

|                         |                  |            |
|-------------------------|------------------|------------|
| Managers                | Inspection Date  | Status     |
| Not Assigned            | Mar 22, 2022     | Sent To RP |
| Inspection Contributors | Report Sent Date | Done Date  |
| Muzna Rauf              | Mar 24, 2022     |            |
| Reference ID            |                  |            |

## Notes

Facility Address: Lawrence Berkeley National Laboratory  
1 Cyclotron Rd, Berkeley, CA 94720

Mobile Food Truck was issued a score of 90 (PASS) during a routine inspection conducted on 03/22/2022.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-54.

– Muzna Rauf

## Employee Health, Hygiene, & Knowledge 1 \*

### 1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

### 1b. Food safety certification

Public Comments: Observed one employee preparing food with no food handler card.  
Action Plan: California Retail Food Code §113948. All employees that prepare, handle, or serve non-packaged potentially hazardous foods shall have passed an approved Food Handlers certification program. Correct within 30 days.  
Tags: Minor Violation (2 points)  
Inspector: Muzna Rauf  
Status: Not Resolved

---

## 2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## 3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## 4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## Preventing Contamination by Hands \*

---

### 5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

### 6. Adequate hand washing sink: supplied and accessible

Public Comments: Observed access to handwash sink obstructed by trash bin. Employee removed the trash bin from the front of the sink at the time of the inspection.

Action Plan: California Retail Food Code §113953.1(a) A handwashing facility shall be clean, unobstructed, and accessible at all times for employee use.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Corrected on Site

## Time & Temperature Relationship \*

---

### 7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

### 8. Time as public health control; procedures and records

Public Comments:

Inspector: Muzna Rauf

Status: N/O

### 9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/O

### 10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

### 11. Proper reheating procedures for hot holding

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

## Protection from Contamination 1 \*

---

### 12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

### 13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

### 14. Food contact surface; clean and sanitized

Public Comments: Observed two yellow/black discolored cutting boards at both of the sandwich prep coolers. Ensure all cutting board surfaces are properly cleaned and sanitized daily especially when changing from raw food of animal origin to ready to eat food, between species of raw food of animal origin, between unwashed produce and potentially hazardous food.

Action Plan: California Retail Food Code §114097. All food contact surfaces shall be clean and sanitized at all times. Correct Immediately.

California Retail Food Code §114117. All equipment and/or utensils in contact with potentially hazardous foods shall be cleaned and sanitized at least once every 4 hours. Correct Immediately.

California Retail Food Code §114099.6. Manual chemical sanitization shall only take place in one of three ways:

1. Equipment and utensils shall be in contact with a chlorine solution at 100ppm for a minimum of 30 seconds.
2. Equipment and utensils shall be in contact with an iodine solution at 25ppm for a minimum of 60 seconds.
3. Equipment and utensils shall be in contact with a quaternary ammonia solution at 200ppm for a minimum of 60 seconds.

Correct Immediately.

Tags: Major Violation (4 points)

Inspector: Muzna Rauf

Status: Not Resolved

## Food From Approved Sources \*

---

### 15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

### 16. Compliance with shell stock tags, conditions, display

Public Comments:

Inspector: Muzna Rauf

Status: N/A

### 17. Compliance with Gulf Oyster Regulations

Public Comments:

Inspector: Muzna Rauf

Status: N/A

## Additional Risk Factors \*

---

### 18. Compliance with variance, specialized process & HACCP

Public Comments:

Inspector: Muzna Rauf

Status: N/A

### 19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

### 20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

### 21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sinks measured at 100 degrees F and above.

Inspector: Muzna Rauf

Status: Compliant

### 21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

## 22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

## 23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

## General Retail Factors 1 \*

---

### 24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: N/O

---

### 27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: N/O

---

## 29. Toxic substances & automotive equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 30. Food storage; food storage containers identified

Public Comments: Observed open box of cucumbers stored on top of the 3-compartment warewash sink. Employee instructed to remove the box of cucumbers from the sink at the time of the inspection. No contamination on the cucumbers observed at the time of the inspection.

Action Plan: Ensure food is not stored in an unapproved area.

California Retail Food Code §114047(b). Food shall be protected from contamination by storing the food in a clean, dry location, where it is not exposed to splash, dust, vermin, or other forms of contamination or adulteration, and at least six inches above the floor. Correct immediately.

California Retail Food Code §114049. Food shall not be stored in toilet rooms, dressing rooms, refuse rooms, or under other sources of contamination. Correct immediately.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Corrected on Site

---

## 31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: N/A

---

## 32. Food properly labeled and honestly presented



Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 34. Warewashing sink: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 37. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 38. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 39. Wiping cloths; properly used and stored

Public Comments: Observed multiple soiled wiping towels stored on top of the food prep counters.

Action Plan: California Retail Food Code §114185.1(b). All wiping cloths used repeatedly prior to laundering shall be stored in an approved sanitizing solution when not in use. Correct Immediately.

California Retail Food Code §114185.1(e). Working containers of sanitizing solutions for storage of in-use wiping cloths shall be used in a manner to prevent contamination of food, equipment, utensils, linens, or single-use articles.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

---

### 40. Plumbing, fixtures, equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 41. Refuse / Premises/ Janitorial / Exterior and surrounding area sanitary

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 42. Restroom facilities

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 43. Cleaning & servicing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 44. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 45. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 46. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 47. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 48. Compliance with safety requirements, fire extinguisher & lights shatter proof

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 49. Compliance with water heater Requirements (3 gallon)

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 50. Location of compressors

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 51. Identification of owner

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 52. Cleaning & servicing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 53. Compliance with height and width of occupied areas

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## 54. Mobile water & waste water tanks installed

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

## Permit Suspension \*

---

## 55. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

## Increased Risk to Public Health \*

---

### 56. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

## Inspection Score \*

---

### 57. Score

Public Comments: Facility Score = 90

PASS - 80 to 100

CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf

Status: Compliant