

# Bay View Café ( Lawrence Berkeley National Laboratory )

## UCB Routine Inspection - Food

Managers

Not Assigned

Inspection Date

Aug 1, 2022

Inspection Contributors

Muzna Rauf

Reference ID

## Notes

---

Facility was issued a score of 95 (PASS) during a routine inspection conducted on 08/01/2022.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

Re-inspection to check for hot water compliance scheduled for 08/08/2022. Please refer to violation #21a.

— Muzna Rauf

## Employee Health, Hygiene, & Knowledge \*

---

### 1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

### 1b. Food safety certification

Public Comments: Food Safety Manager Certification: Tyler Warner  
Expiration Date: 06/01/2025

Food Safety Manager Certification: Christian Hainry  
Expiration Date: 04/12/2026

Inspector: Muzna Rauf

Status: Compliant

---

## 2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

## 3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

## 4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

## Preventing Contamination by Hands \*

---

### 5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

---

### 6. Adequate hand washing facilities: supplied and accessible

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

## Time & Temperature Relationship \*

---

### 7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

### 8. Time as public health control; procedures and records

Public Comments:  
Inspector: Muzna Rauf  
Status: N/O

### 9. Proper cooling methods

Public Comments:  
Inspector: Muzna Rauf  
Status: N/O

### 10. Proper cooking time and temperature

Public Comments:  
Inspector: Muzna Rauf  
Status: N/O

### 11. Proper reheating procedures for hot holding

Public Comments:  
Inspector: Muzna Rauf  
Status: N/O

## Protection from Contamination \*

---

## 12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## 13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## 14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## Food From Approved Sources \*

---

## 15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

---

## 16. Compliance with shell stock tags, conditions, display

Public Comments:  
Inspector: Muzna Rauf  
Status: N/A

---

## 17. Compliance with Gulf Oyster Regulations

Public Comments:  
Inspector: Muzna Rauf  
Status: N/A

---

## Additional Risk Factors 1 \*

---

### 18. Compliance with variance, specialized process & HACCP

Public Comments:

Inspector: Muzna Rauf

Status: N/A

---

### 19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

---

### 20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

---

### 21 a. Hot water available

Public Comments: Observed the following:

- 1) Hot water measured at utility sink of coffee station at 77.1 degrees F.
- 2) Hot water measured at handwash sink at 77.2 degrees F.
- 3) Hot water measured at 2-comp sink adjacent to the office at 77.5 degrees F.
- 4) Hot water measured at 3-compartment warewash sink in rear of facility at 77.5 degrees F.
- 5) Hot water measured at handwash sink inside employee restroom at 73.4 degrees F.

No food aside from coffee is being prepared on site. Food employee using cambro with hot water to clean the coffee pots and wash her hands. Reinspection to check for hot water compliance scheduled for 08/08/2022.

Action Plan:

California Retail Food Code §114192. All facilities shall have an adequate supply of hot and cold water that is protected, pressurized, potable, and delivered through an approved plumbing system. Correct Immediately.

California Retail Food Code §114192(a). Hot water shall be supplied at a minimum temperature of at least 120 degrees F measured from the faucet of warewash sinks, food prep sinks, and janitorial sinks. Hot water measured below 100 degrees F throughout the food facility will result in closure. Correct immediately.

California Retail Food Code §113953(c). Handwashing facilities shall be equipped to provide warm water under pressure for a minimum of 15 seconds through a mixing valve or combination faucet. If the temperature of water provided to a handwashing sink is not readily adjustable at the faucet, the temperature of the water shall be at least 100 degrees F, but not greater than 108 degrees F. Correct immediately.

Tags:

Major Violation (4 points)

Inspector:

Muzna Rauf

Status:

Not Resolved

---

## 21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector:

Muzna Rauf

Status:

Compliant

---

## 22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector:

Muzna Rauf

Status:

Compliant

---

## 23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.  
Inspector: Muzna Rauf  
Status: Compliant

## General Retail Factors 1 \*

---

### 24. Person in charge present and performs duties

Public Comments:  
Inspector: Muzna Rauf  
Status: Compliant

### 25. Personal cleanliness and hair restraints

Public Comments:  
Inspector: Muzna Rauf  
Status: Compliant

### 26. Approved thawing methods used, frozen food

Public Comments:  
Inspector: Muzna Rauf  
Status: N/O

### 27. Food separated and protected

Public Comments:  
Inspector: Muzna Rauf  
Status: Compliant

### 28. Washing fruits and vegetables

Public Comments:  
Inspector: Muzna Rauf  
Status: N/O

### 29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 35. Equipment/utensils approved; installed; good repair; capacity



Public Comments: Observed the following:  
1) RF 05654 cooler holding milk leaking water on the inside.  
2) Water condensing and dripping from the upper surface inside the ATOSA beverage cooler adjacent to the coffee station.

Action Plan: California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair. Equipment must be repaired and in use or removed from the facility.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

---

### 36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

---

### 38. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

### 40. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 41. Plumbing; fixtures, backflow devices, drainage

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

---

#### 52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

## Increased Risk to Public Health \*

---

### 53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

## Inspection Score \*

---

### 54. Score

Public Comments: Facility Score = 95

PASS - 80 to 100

CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf

Status: Compliant