# Café Zeb (Berkeley Law School)

UCB Routine Inspection - Food

Managers

#### Not Assigned

Inspection Contributors Muzna Rauf

Reference ID

## Notes

Facility was issued a score of 94 (PASS) during a routine inspection conducted on 11/30/2022.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

– Muzna Rauf

## Employee Health, Hygeine, & Knowledge 1 \*

#### 1a. Demonstartion of knowledge

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna Rauf

Status: Compliant

#### 1b. Food safety certification

Inspection Date Nov 30, 2022

| Public Comments: | Observed missing food safety manager certificate at facility. Facility has a new manager on site. Change in management happened approximately 3 months ago. As per manager, she is registered to take the exam in 2 weeks. Manager to email inspector copy of exam registration and valid food safety manager certificate once she has passed the exam.   |
|------------------|---|
| Action Plan:     | <ul> <li>California Retail Food Code §113947.1.</li> <li>(a) Food facilities that prepare, handle, or serve nonprepackaged potentially hazardous food, except temporary food facilities, shall have an owner or employee who has successfully passed an approved and accredited food safety certification examination as specified in Sections 113947.2 and 113947.3. No certified person at a food facility may serve at any other food facility as the person required to be certified pursuant to this subdivision. The certified owner or employee need not be present at the food facility during all hours of operation.</li> <li>(g) The food safety certificate issued pursuant to Section 113947.3 shall be retained on file at the food facility at all times, and shall be made available for inspection by the enforcement officer.</li> <li>(h) Certified individuals shall be recertified every five years by passing an approved and accredited food safety certification examination.</li> <li>Correct within 60 days.</li> </ul> |
| Tags:            | Minor Violation (2 points)  |
| Inspector:       | Muzna Rauf  |
| Status:          | Not Resolved  |

### 2. Communicable disease; reporting, restrictions & exclusions

| Public Comments: | No violations observed at the time of the inspection. |
|------------------|---|
| Inspector:       | Muzna Rauf  |
| Status:          | Compliant   |

## 3. No discharge from eyes, nose, and mouth

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

## 4. Proper eating, drinking, or tobacco use

| Public Comments: | No violations observed at the time of the inspection. |
|------------------|---|
| Inspector:       | Muzna Rauf  |
| Status:          | Compliant   |

## Preventing Contamination by Hands \*

## 5. Hands clean and properly washed; proper glove use

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

#### 6. Adequate hand washing facilities: supplied and accessible

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

## Time & Temperature Relationship \*

## 7. Proper hot and cold holding temperatures

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

#### 8. Time as public health control; procedures and records

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/0        |

#### 9. Proper cooling methods

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/O        |

#### 10. Proper cooking time and temperature

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/0        |

## 11. Proper reheating procedures for hot holding

Public Comments: Inspector: Muzna Rauf Status: N/O

## Protection from Contamination \*

## 12. Returned and re-service of food

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

#### 13. Food in good condition; safe and unadulterated

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

### 14. Food contact surface; clean and sanitized

| Public Comments: | Observed quaternary ammonia sanitizer level above 100ppm but below 200ppm in bucket used to store wiping cloths. Employee corrected the concentration of the sanitizer at the time of the inspection. |
|------------------|---|
| Action Plan:     | California Retail Food Code §114097. All food contact surfaces shall be clean and sanitized at all times. Correct Immediately.  |
|                  | California Retail Food Code §114117. All equipment and/or utensils in contact with potentially hazardous foods shall be cleaned and sanitized at least once every 4 hours. Correct Immediately.       |
|                  | California Retail Food Code §114099.6. Manual chemical sanitization shall only take place in one of three ways:   |
|                  | 1. Equipment and utensils shall be in contact with a chlorine solution at 100ppm for a minimum of 30 seconds.   |
|                  | 2. Equipment and utensils shall be in contact with an iodine solution at 25ppm for a minimum of 60 seconds.   |
|                  | <ol> <li>Equipment and utensils shall be in contact with a quaternary ammonia solution at 200ppm<br/>for a minimum of 60 seconds.</li> <li>Correct Immediately.</li> </ol>                            |
| Tags:            | Minor Violation (2 points)  |
| Inspector:       | Muzna Rauf  |
| Status:          | Corrected on Site   |

## Food From Approved Sources \*

## 15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf Status: Compliant

## 16. Compliance with shell stock tags, conditions, display

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/A        |

## 17. Compliance with Gulf Oyster Regulations

Public Comments: Inspector: Muzna Rauf Status: N/A

## Additional Risk Factors \*

#### 18. Compliance with variance, specialized process & HACCP

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/A        |

#### 19. Consumer advisory provided for raw/undercooked food

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/A        |

## 20. License health care facilities/public and private schools: prohibited food not offered

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/A        |

#### 21 a. Hot water available

| Public Comments: | No violations observed at the time of the inspection.  |  |
|------------------|--|--|
|                  | Water at 3-compartment warewash sink measured at 120 degrees F and above.<br>Water at handwash sink measured at 100 degrees F and above. |  |
| Inspector:       | Muzna Rauf   |  |
| Status:          | Compliant  |  |

#### 21 b. Water available

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

#### 22. Sewage and wastewater properly disposed

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

#### 23. No insect, rodent, birds or animals present

Public Comments:No violations observed at the time of the inspection.Inspector:Muzna RaufStatus:Compliant

## General Retail Factors 1

#### 24. Person in charge present and performs duties

Public Comments: Inspector: Muzna Rauf Status: Compliant

#### 25. Personal cleanliness and hair restraints

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 26. Approved thawing methods used, frozen food

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/0        |

#### 27. Food separated and protected

Public Comments: Inspector: Muzna Rauf Status: Compliant

## 28. Washing fruits and vegetables

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/0        |

## 29. Toxic subtances properly identified, stored and used

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

### 30. Food storage; food storage containers identified

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 31. Consumer self service

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## 32. Food properly labeled and honestly presented

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 33. Nonfood-contact surfaces clean

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments: Inspector: Muzna Rauf Status: Compliant

### 35. Equipment/utensils approved; installed; good repair; capacity

| Public Comments: | Observed torn door gasket to Trautsen refrigerator.   |
|------------------|---|
| Action Plan:     | California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair.<br>Replace all torn or damaged refrigeration gaskets with gaskets that are smooth, cleanable, and that will provide a tight-fitting seal. |
| Tags:            | General Retail Violation (1 point)  |
| Inspector:       | Muzna Rauf  |
| Status:          | Not Resolved  |

#### 36. Equipment, utensils and linens: storage and use

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 37. Vending machines

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | N/A        |

## 38. Adequate ventilation and lighting; designated areas, use

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## 39. Thermometers provided and accurate

Public Comments:Inspector:Muzna RaufStatus:Compliant

## 40. Wiping cloths; properly used and stored

| Public Comments: | Observed multiple soiled wet wiping cloths stored on top of the cutting board surface of both refrigerated sandwich prep tables. Manager instructed to have staff keep all soiled wiping cloths inside sanitation buckets when not in use. |
|------------------|--|
| Action Plan:     | California Retail Food Code §114185.1(b). All wiping cloths used repeatedly prior to laundering shall be stored in an approved sanitizing solution when not in use. Correct Immediately.   |
|                  | California Retail Food Code §114185.1(e). Working containers of sanitizing solutions for storage of in-use wiping cloths shall be used in a manner to prevent contamination of food, equipment, utensils, linens, or single-use articles.  |
| Tags:            | General Retail Violation (1 point)   |
| Inspector:       | Muzna Rauf   |
| Status:          | Corrected on Site  |

## 41. Plumbing; fixtures, backflow devices, drainage

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## 42. Garbage and refuse properly disposed; facilities maintained

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

### 43. Toilet facilities: properly constructed, supplied, cleaned

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 44. Premises; personal/cleaning items; vermin proofing

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## 45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments: Inspector: Muzna Rauf Status: Compliant

## 46. No unapproved sleeping quarters

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## 47. Signs posted; last inspection report available

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 48. Permits available

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## 49. Compliance with Plan review requirements

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

#### 50. Samples Collection

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

### 51. Impoundment/VC&D

Public Comments: Inspector: Muzna Rauf Status: Compliant

#### 52. Permit Suspension

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## Increased Risk to Public Health \*

## 53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

| Public Comments: |            |
|------------------|------------|
| Inspector:       | Muzna Rauf |
| Status:          | Compliant  |

## Inspection Score \*

#### 54. Score

| Public Comments: | Facility Score = 94  |
|------------------|--|
|                  | PASS-80 to 100CONDITIONAL PASS-75 to 79FAIL-<75 (facility will be closed, notice of closure posted, health |
|                  | permit suspended; re-inspection will be scheduled when violations are abated).                             |
| Inspector:       | Muzna Rauf   |
| Status:          | Compliant  |