

Clark Kerr Dining Commons (Clark Kerr Campus)

UCB Routine Inspection - Food

Managers

Sean O'Donnell, Samuel Hernandez,
Bettye Boles

Inspection Date

Mar 2, 2023

Inspection Contributors

Muzna Rauf

Reference ID

Notes

Facility was issued a score of 90 (PASS) during a routine inspection conducted on 03/02/2023.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

Re-inspection to check for compliance of violation #21a scheduled for 03/06/2023.

– Muzna Rauf

Employee Health, Hygiene, & Knowledge *

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Manager Certification: Samuel Hernandez
Expiration Date: 05/19/2026
Inspector: Muzna Rauf
Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments: Observed no paper towels at the handwash station. Person in charge made single use paper towels available at the time of the inspection.

Action Plan: California Retail Food Code §113953.2. A handwashing facility shall be provided with the following in dispensers at, or adjacent to, each handwashing facility:
(a) Handwashing cleanser.
(b) Sanitary single-use towels or a heated-air hand drying device.

Tags: Minor Violation (2 points)

Inspector: Muzna Rauf

Status: Corrected on Site

Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

8. Time as public health control; procedures and records

Public Comments:

Inspector: Muzna Rauf

Status: N/O

9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/O

10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:

Inspector: Muzna Rauf

Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:

Inspector: Muzna Rauf

Status: N/A

Additional Risk Factors 1 *

18. Compliance with variance, specialized process & HACCP

Public Comments:

Inspector: Muzna Rauf

Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

21 a. Hot water available

Public Comments: Observed the following:
Hot water measured at 72 degrees F at the handwash sink and the 3-compartment warewash sink. There is currently no hot water available throughout the facility. As per the manager, the hot water has been out since 02/27/23. A maintenance ticket was placed but they are waiting on a valve before hot water can be restored. Temporary handwash station has been set up, and water is being manually heated for handwashing and for the 3-compartment warewash sink. Facility given 24 hours to abate and restore hot water.

There is currently a dish machine on the premises that is washing at 165 degrees F and above. Upper management has decided to use the dish machine to support warewashing for small pots and pans, and are moving to paper plates until hot water is restored.

Update as of 03/03/2023 - Facility services was able to restore hot water to the entire kitchen except for one prep sink that is being fed by a different domestic line. Kitchen staff is to close off this particular sink and not use it until hot water is available at this sink.

Reinspection to check for hot water compliance is scheduled for 03/06/2023.

Action Plan: California Retail Food Code §114192. All facilities shall have an adequate supply of hot and cold water that is protected, pressurized, potable, and delivered through an approved plumbing system. Correct Immediately.

California Retail Food Code §114192(a). Hot water shall be supplied at a minimum temperature of at least 120 degrees F measured from the faucet of warewash sinks, food prep sinks, and janitorial sinks. Hot water measured below 100 degrees F throughout the food facility will result in closure. Correct immediately.

Tags: Major Violation (4 points)

Inspector: Muzna Rauf

Status: Not Resolved

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

General Retail Factors 4 *

24. Person in charge present and performs duties

Public Comments:
Inspector: Muzna Rauf
Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:
Inspector: Muzna Rauf
Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:
Inspector: Muzna Rauf
Status: N/O

27. Food separated and protected

Public Comments:
Inspector: Muzna Rauf
Status: Compliant

28. Washing fruits and vegetables

Public Comments:
Inspector: Muzna Rauf
Status: N/O

29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments: Observed heavy accumulation of dust and dirt on the air filters of the ice machine.

Action Plan: California Retail Food Code §114115(c). Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris. Correct within 1 week.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments: Observed the following:
1) One of the condenser fans is not working inside the walk-in freezer 140C.
2) One of the condenser fans is not working inside the walk-in freezer 140D.

Action Plan: California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair. Equipment must be repaired and in use or removed from the facility. Correct within 2 weeks.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

41. Plumbing; fixtures, backflow devices, drainage

Public Comments: Observed multiple food debris and plastic food wrap inside the floor sink located underneath the food prep sink.

Action Plan: California Retail Food Code §114190. All plumbing and plumbing fixtures shall be installed in compliance with applicable local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Correct within 1 week.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments: Observed the following:
1) Heavy accumulation of water on the floor next to the standing mixer.
2) Heavy accumulation of water on the floor next to the 3-compartment warewash sink.

Action Plan: California Retail Food Code §114268. All floor surfaces within a facility must be smooth, clean, and in good repair at all times.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Score = 90

PASS - 80 to 100

CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf

Status: Compliant