

I-House Dining (International House)

UCB Routine Inspection - Food

Managers

Cedric Martin

Inspection Date

Nov 17, 2022

Inspection Contributors

Muzna Rauf

Reference ID

Notes

Facility was issued a score of 95 (PASS) during a routine inspection conducted on 11/17/2022.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

— Muzna Rauf

Employee Health, Hygiene, & Knowledge *

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Manager Certification Name: Alexander Barrios
Expiration Date: 03/29/2026

Inspector: Muzna Rauf

Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Time & Temperature Relationship 1 *

7. Proper hot and cold holding temperatures

Public Comments: Observed the following:

- 1) Over stacked sliced watermelon being held at the salad bar station. Top layer measured at 46.6 degrees F. Ambient air of cooler measured at 35 degrees F.
- 2) Over stacked sliced turkey being held at the self service station. Top layer measured at 51.1 degrees F. Ambient air of cooler measured at 41 degrees F.
- 3) Over stacked sliced roast beef being held at the self service station. Top layer measured at 55.9 degrees F. Ambient air of cooler measured at 41 degrees F.

As per manager, food was brought out approximately an hour ago. Manager instructed to have staff not over stack/fill the trays and pans at the self service and salad bar to ensure potentially hazardous food is being held at the right temperature.

Action Plan: California Retail Food Code §113996. (a) Except during preparation, cooking, cooling, transportation to or from a retail food facility for a period of less than 30 minutes, or when time is used as the public health control as specified under Section 114000, or as otherwise provided in this section, potentially hazardous food shall be maintained at or above 135°F, or at or below 41°F.

California Retail Food Code §113996. (d) Potentially hazardous foods held for dispensing in serving lines and salad bars may be maintained above 41°F, but not above 45°F, during periods not to exceed 12 hours in any 24-hour period only if the unused portions are disposed of at or before the end of this 24-hour period. For purposes of this subdivision, a display case shall not be deemed to be a serving line.

Tags: Major Violation (4 points)

Inspector: Muzna Rauf

Status: Not Resolved

8. Time as public health control; procedures and records

Public Comments:

Inspector: Muzna Rauf

Status: N/O

9. Proper cooling methods

Public Comments:

Inspector: Muzna Rauf

Status: N/O

10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:

Inspector: Muzna Rauf

Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:

Inspector: Muzna Rauf

Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:

Inspector: Muzna Rauf

Status: N/A

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Public Comments:

Inspector: Muzna Rauf

Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sink measured at 100 degrees F and above.

Inspector: Muzna Rauf

Status: Compliant

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

General Retail Factors 1 *

24. Person in charge present and performs duties

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Inspector: Muzna Rauf

Status: N/O

27. Food separated and protected

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Inspector: Muzna Rauf

Status: N/O

29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

36. Equipment, utensils and linens: storage and use

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments: Observed the following:
1) One non-operational light under hood.
2) Heavy accumulation of dust and grease on the hood surface, filters, and the fire suppression lines above the stove top.

Action Plan: California Retail Food Code §114252. In every room and area in which any food is prepared, manufactured, processed, or prepackaged, or in which equipment or utensils are cleaned, sufficient natural or artificial lighting shall be provided.

California Retail Food Code §114149.2. All mechanical intake and exhaust air ducts shall be clean and filters shall be routinely changed to prevent the contamination of food. Correct within 2 weeks.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

41. Plumbing; fixtures, backflow devices, drainage

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Score = 95

PASS - 80 to 100

CONDITIONAL PASS - 75 to 79

FAIL - < 75 (facility will be closed, notice of closure posted, health permit suspended; re-inspection will be scheduled when violations are abated).

Inspector: Muzna Rauf

Status: Compliant