

# Taste of Pakistan

## UCB Follow-Up Inspection - Food

Managers

Not Assigned

Inspection Date

Mar 10, 2022

Status

Sent To RP

Inspection Contributors

Muzna Rauf

Report Sent Date

Mar 11, 2022

Done Date

Reference ID

## Notes

Facility Address: 2160 University Avenue, Berkeley, CA 94704

Permit Holder: Paramjit Singh

A reinspection was conducted at Taste of Pakistan on 03/10/22 to determine compliance of violations observed during previous follow-up conducted on 02/24/22.

The observations made at the time of the follow-up continue to present an imminent health hazard to the public and the facility must remain closed until violations #14, #23, and #45 have been abated.

For all violations abated, and violations still pending please refer to the observations and corrective actions listed below.

– Muzna Rauf

## Observations and Corrective Actions 3 \*

### Observations and Corrective Actions

Public Comments: Violation #1b for missing Certified Food Safety Manager certificate has been corrected with reasonable compliance.

Food Safety Certification Name: Paramjit Singh

Expiration Date: 09/12/2026

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #6 for empty soap and paper towel dispensers has been corrected with reasonable compliance. At the time of the inspection soap and paper towels were provided next to all the handwash sinks located inside the kitchen and restrooms.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #14 for unclean and deteriorated cutting boards has not been corrected with reasonable compliance. Observed two deteriorated and yellow/black discolored cutting boards on food prep surfaces inside the kitchen. REPEAT VIOLATION.

Action Plan: California Retail Food Code §114130.3& 114177. Surfaces such as cutting blocks and boards that are subject to scratching and scoring shall be resurfaced if they can no longer be effectively cleaned and sanitized, or discarded if they are not capable of being resurfaced.

Inspector: Muzna Rauf

Status: Not Resolved

Public Comments: Violation #23 for multiple rodent droppings inside facility has not been corrected with reasonable compliance. Observed multiple old and new fresh rodent droppings on the floor inside hallway leading out the side exit, underneath shelving in the kitchen, underneath the warewashing sink in the back room with the walk-in cooler, and on the roof of the walk-in cooler. REPEAT VIOLATION.

Action Plan: Ensure facility is free of all evidence of rodent infestation. Operator instructed to have all floors and equipment properly cleaned and to have all rodent droppings removed from the facility.

Recommendation: Hire professional Pest Control Services to help with the current rodent infestation.

Inspector: Muzna Rauf

Status: Not Resolved

Public Comments: Violation #35 for unapproved use of equipment has been corrected with reasonable compliance. Non-working refrigeration unit is currently not being used as a storage unit, especially to hold dry food products.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #44 for clutter of personal items and vermin proofing has been corrected with reasonable compliance. All personal items stored in the upstairs rooms, including shoes, clothing, luggage etc. have been removed.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #45 for floors, walls and ceiling not properly built, maintained or clean has not been corrected with reasonable compliance.

- 1) Broken roof skylight - repairs still pending. Building management to contact facilities to have it repaired.
- 2) Multiple old and new rodent droppings on the floor, underneath shelving, underneath warewash sink in back room, and on the roof of the walk-in cooler.
- 3) New Finding - Multiple 1/4" holes in the wall next to shelving opposite the walk-in cooler.

Inspector: Muzna Rauf

Status: Not Resolved