

Qualcomm Cyber Café (Sutardja Dail Hall)

UCB Routine Inspection - Food

Current Managers	Inspection Date	Status
Vincent Hawkins	Mar 10, 2026	Sent To RP
Inspection Contributors	Report Sent Date	Done Date
Vincent Hawkins	Mar 10, 2026	
Inspection Resolvers	Reference ID	
-		

Notes

I met kitchen manager Yali Amzel at the Qualcomm Cafe. Yali showed me around the facility.

– Vincent Hawkins

Employee Health, Hygeine, & Knowledge *

1a. Demonstartion of knowledge

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

1b. Food safety certification

Public Comments: I wrote down the kitchen manager certification information for Yali Amzel. It will expire in 12/2028.

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

7. Proper hot and cold holding temperatures

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Public Comments: 2 refrigeration units were out of temperature. The True brand preparation unit and the True brand 3 door reach in unit were both at 49-50 degrees Fahrenheit. They must hold foods inside the units at 41 degrees or colder. Have these units adjusted to hold foods inside the units at the correct temperatures. 4 points taken off from the over all score.

Private Comments:

Action Plan: California Retail Food Code §113996(a). Except during preparation, cooking, cooling, transportation to or from a retail food facility for a period of less than 30 minutes, or when time is used as the public health control as specified under Section 114000, or as otherwise provided in this section, potentially hazardous food shall be maintained at or above 135°F, or at or below 41°F.

Inspector: Vincent Hawkins

Status: Not Resolved

Due Date: Mar 14, 2026 (Due 18 days ago)

8. Time as public health control; procedures and records

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

9. Proper cooling methods

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

10. Proper cooking time and temperature

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Protection from Contamination *

12. Returned and re-service of food

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

17. Compliance with Gulf Oyster Regulations

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

19. Consumer advisory provided for raw/undercooked food

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

21 a. Hot water available

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

21 b. Water available

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

General Retail Factors * 2

24. Person in charge present and performs duties

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

27. Food separated and protected

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

28. Washing fruits and vegetables

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

29. Toxic substances properly identified, stored and used

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

31. Consumer self service

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Public Comments: Obtain the sanitizer check strips for testing the bleach solution sanitizer. 2 points taken off from the over all score.

Private Comments:

Action Plan: California Retail Food Code §114107(a). All facilities shall have an adequate means of testing sanitizer concentrations at all times. Correct within 48 hours.

California Retail Food Code §114107(b). All mechanical warewash machines shall be accurately calibrated as to ensure the proper concentration of sanitizer is being dispensed at all times. Correct immediately.

California Retail Food Code §113953.1(c) Employees shall not clean their hands in a sink used for food preparation, warewashing, or in a service sink or a curbed cleaning facility used for the disposal of mop water and similar liquid waste. Correct immediately.

Inspector: Vincent Hawkins

Status: Not Resolved

Due Date: Mar 17, 2026 (Due 15 days ago)

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

36. Equipment, utensils and linens: storage and use

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

37. Vending machines

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

38. Adequate ventilation and lighting; designated areas, use

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Public Comments: Submit a work order to have the burned out light bulbs in the kitchen area replaced.

Private Comments:

Action Plan: California Retail Food Code §114252. In every room and area in which any food is prepared, manufactured, processed, or prepackaged, or in which equipment or utensils are cleaned, sufficient natural or artificial lighting shall be provided to produce the following light intensity, while the area is in use:

(a) At least 10 foot candles for the following:

(1) At a distance of 30 inches above the floor, in walk-in refrigeration units and dry food storage areas.

(3) Inside equipment, such as reach-in or under-the-counter refrigerators.

Correct within 1 week.

California Retail Food Code §114149(b). Toilet rooms shall be vented to the outside air by means of an openable, screened window, an air shaft, or a light-switch-activated exhaust fan, consistent with the requirements of local building codes. Correct within 1 month

California Retail Food Code §114149.1(a). Mechanical exhaust ventilation equipment shall be provided over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors. Correct within 1 month.

California Retail Food Code §114149.2. All mechanical intake and exhaust air ducts shall be clean and filters shall be routinely changed to prevent the contamination of food. Correct within 2 weeks.

California Retail Food Code §114252.1 Light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is nonprepackaged ready-to-eat food, clean equipment, utensils, and linens, or unwrapped single-use articles. Correct within 2 weeks.

California Retail Food Code § 114149(a) - All areas of a food facility shall have sufficient ventilation to facilitate proper food storage and to provide a reasonable condition of comfort for each employee, consistent with the job performed by the employee. Correct Immediately.

Inspector: Vincent Hawkins

Status: Not Resolved

39. Thermometers provided and accurate

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

41. Plumbing; fixtures, backflow devices, drainage

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

46. No unapproved sleeping quarters

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

48. Permits available

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

50. Samples Collection

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

52. Permit Suspension

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant

Inspection Score *

54. Grade

Public Comments:

Private Comments:

Inspector: Vincent Hawkins

Status: Compliant