

Simply Bowl (2156 University Ave)

UCB Routine Inspection - Food

Current Managers

Not Assigned

Inspection Date

Jul 31, 2024

Inspection Contributors

Muzna Rauf

Inspection Resolvers

-

Notes

Facility was issued a score of 93% (Grade A) during a routine inspection conducted on 07/31/24.

Major/minor violations (Critical Risk Factors) directly relate to the transmission of foodborne illness. The presence of a major violation poses a health hazard and warrants immediate correction and may require closure of the food facility. These violations are numbered 1-23.

General Retail Practice violation means a violation of an approved practice that does not pose an imminent health hazard, but does warrant correction. These violations are numbered 24-48.

– Muzna Rauf

Employee Health, Hygiene, & Knowledge *

1a. Demonstration of knowledge

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

1b. Food safety certification

Public Comments: Food Safety Certification Name: Kenny Kwong
Expiration Date: 01/15/2025

Inspector: Muzna Rauf

Status: Compliant

2. Communicable disease; reporting, restrictions & exclusions

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

3. No discharge from eyes, nose, and mouth

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

4. Proper eating, drinking, or tobacco use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Preventing Contamination by Hands *

5. Hands clean and properly washed; proper glove use

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

6. Adequate hand washing facilities: supplied and accessible

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Time & Temperature Relationship *

7. Proper hot and cold holding temperatures

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

8. Time as public health control; procedures and records

Public Comments:
Inspector: Muzna Rauf
Status: N/O

9. Proper cooling methods

Public Comments:
Inspector: Muzna Rauf
Status: N/O

10. Proper cooking time and temperature

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

11. Proper reheating procedures for hot holding

Public Comments:
Inspector: Muzna Rauf
Status: N/O

Protection from Contamination *

12. Returned and re-service of food

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

13. Food in good condition; safe and unadulterated

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

14. Food contact surface; clean and sanitized

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

Food From Approved Sources *

15. Food obtained from approved source

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

16. Compliance with shell stock tags, conditions, display

Public Comments:
Inspector: Muzna Rauf
Status: N/A

17. Compliance with Gulf Oyster Regulations

Public Comments:
Inspector: Muzna Rauf
Status: N/A

Additional Risk Factors *

18. Compliance with variance, specialized process & HACCP

Public Comments:

Inspector: Muzna Rauf

Status: N/A

19. Consumer advisory provided for raw/undercooked food

Public Comments:

Inspector: Muzna Rauf

Status: N/A

20. License health care facilities/public and private schools: prohibited food not offered

Public Comments:

Inspector: Muzna Rauf

Status: N/A

21 a. Hot water available

Public Comments: No violations observed at the time of the inspection.

Water at 3-compartment warewash sink measured at 120 degrees F and above.

Water at handwash sink measured at 100 degrees F and above.

Inspector: Muzna Rauf

Status: Compliant

21 b. Water available

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

22. Sewage and wastewater properly disposed

Public Comments: No violations observed at the time of the inspection.

Inspector: Muzna Rauf

Status: Compliant

23. No insect, rodent, birds or animals present

Public Comments: No violations observed at the time of the inspection.
Inspector: Muzna Rauf
Status: Compliant

General Retail Factors * 7

24. Person in charge present and performs duties

Public Comments:
Inspector: Muzna Rauf
Status: Compliant

25. Personal cleanliness and hair restraints

Public Comments:
Inspector: Muzna Rauf
Status: Compliant

26. Approved thawing methods used, frozen food

Public Comments:
Inspector: Muzna Rauf
Status: N/O

27. Food separated and protected

Public Comments:
Inspector: Muzna Rauf
Status: Compliant

28. Washing fruits and vegetables

Public Comments:
Inspector: Muzna Rauf
Status: N/O

29. Toxic substances properly identified, stored and used

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

30. Food storage; food storage containers identified

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

31. Consumer self service

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

32. Food properly labeled and honestly presented

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

33. Nonfood-contact surfaces clean

Public Comments: Observed the following:

- 1) Heavy accumulation of grease on top and sides of the stove.
- 2) Heavy accumulation of grease on the splash guards of the fryer.
- 3) Heavy accumulation of dust on the fan guard inside the walk-in cooler.

Action Plan: California Retail Food Code §114115(c). Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris. Correct within 1 week.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



34. Warewash facilities: installed, maintained, used; test equipment

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

35. Equipment/utensils approved; installed; good repair; capacity

Public Comments: Observed the following:
1) Broken temperature dial at the mechanical dish machine. Dish machine is washing at temperatures of 120 degrees F and above.
2) Torn gasket of M3 Turbo Air cooler taped together.
3) Corroded walk-in cooler shelving unit.

Action Plan: California Retail Food Code §114175. Equipment and utensils shall be kept clean, fully operative, and in good repair.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



36. Equipment, utensils and linens: storage and use

Public Comments: Observed red saucer plate being used as dispensing utensils inside bulk storage container holding rice.

Action Plan: California Retail Food Code §114119. During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored in the following manner:
(a) Except as specified under subdivision (b), in the food with their handles above the top of the food and the container.
(b) In food that is not potentially hazardous, with their handles above the top of the food within containers or equipment that can be closed, such as bins of sugar, flour, or cinnamon.

Ensure approved scooping utensils are being used in bulk food storage containers. Correct immediately.


Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



37. Vending machines

Public Comments:

Inspector: Muzna Rauf

Status: N/A

38. Adequate ventilation and lighting; designated areas, use

Public Comments: Observed heavy accumulation of dust and grease on the hood filters, hood surface, and the fire suppression lines above the stove and fryer.

Action Plan: California Retail Food Code §114149.2. All mechanical intake and exhaust air ducts shall be clean and filters shall be routinely changed to prevent the contamination of food. Correct within 2 weeks.


Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



39. Thermometers provided and accurate

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

40. Wiping cloths; properly used and stored

Public Comments: Observed red soiled wiping cloth stored on top of the food prep counter.

Action Plan: California Retail Food Code §114185.1(b). All wiping cloths used repeatedly prior to laundering shall be stored in an approved sanitizing solution when not in use. Correct Immediately.

California Retail Food Code §114185.1(e). Working containers of sanitizing solutions for storage of in-use wiping cloths shall be used in a manner to prevent contamination of food, equipment, utensils, linens, or single-use articles.

Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



41. Plumbing; fixtures, backflow devices, drainage

Public Comments: Observed screw being used as a faucet lever handle at the handwash station.

Action Plan: California Retail Food Code §114190. All plumbing and plumbing fixtures shall be installed in compliance with applicable local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair.


Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



42. Garbage and refuse properly disposed; facilities maintained

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

43. Toilet facilities: properly constructed, supplied, cleaned

Public Comments: Observed restroom missing self-closing device on door.

Action Plan: California Retail Food Code §114276(c)(1). All toilet facilities shall be separated from the food preparation areas by well-fitted, self-closing doors that prevent the passage of flies, dust, and odors.


Tags: General Retail Violation (1 point)

Inspector: Muzna Rauf

Status: Not Resolved

Incident Attachments:

Images:



44. Premises; personal/cleaning items; vermin proofing

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

45. Floors, walls and ceiling: properly built, maintained and clean

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

46. No unapproved sleeping quarters

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

47. Signs posted; last inspection report available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

48. Permits available

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

49. Compliance with Plan review requirements

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

50. Samples Collection

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

51. Impoundment/VC&D

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

52. Permit Suspension

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Increased Risk to Public Health *

53. Multiple Major Critical Risk Violations / Increased Risk to Public Health

Public Comments:

Inspector: Muzna Rauf

Status: Compliant

Inspection Score *

54. Score

Public Comments: Facility Grade = A

Grade A - 90 to 100% (Generally superior in food handling practices and overall food facility maintenance).

Grade B - 80 to 89% (Generally good in food handling practices and overall food facility maintenance).

Grade C - 70 to 79% (Generally acceptable in food handling practices & overall general food facility maintenance).

Score - 0 to 69% (Poor in food handling practices and overall general food facility maintenance).

All food facilities that have a critical violation may be subject to closure regardless of the score received on the inspection report. Food facilities that score below seventy percent (70%) twice within a twelve (12) month period are subject to closure and further legal action.

When a facility is closed, a notice of closure will be posted on the entrance door that will state reason(s) for closure. The sign must remain posted until the facility is reopened by the inspector. Health permit will be suspended upon closure; re-inspection will be scheduled when violations are abated.

Inspector: Muzna Rauf

Status: Compliant