

# Simpson Center ( California Memorial Stadium )

## UCB Follow-Up Inspection - Food

Current Managers

Jaime Nodal, Robert Lopez

Inspection Date

May 22, 2024

Inspection Contributors

Muzna Rauf

Inspection Resolvers

-

## Notes

A follow-up inspection was conducted to check for compliance of violations observed on inspection report dated 05/08/2024.

All critical violations have been abated. Any pending non-critical violations will be checked at next routine inspection.

— Muzna Rauf

## Observations and Corrective Actions \*

### Observations and Corrective Actions




Public Comments: Violation #14 - build of black residue inside clean vinyl tubings being used to drain the ice machine and standing cloudy water under the drip tray of the ice machine has been abated with reasonable compliance. Ice machine has been properly cleaned and sanitized. Vinyl tubing has been replaced with new ones. No standing water under drip tray. Machine is properly draining.

Inspector: Muzna Rauf

Status: Compliant

Incident Attachments:

Images:



Public Comments: Violation #33 - accumulation of old food debris, and grease on top of the stove surface and on the drip pans located under the gas range; heavy accumulation of grease and dust inside the cabinet interior of the fryers; accumulation of grease on the surface of the fryers - has been abated with reasonable compliance.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #35 - build up of ice around the refrigerant piping, on the surface of the fan guard, on the ceiling light, and along the door panel of the walk-in freezer has been abated with reasonable compliance.

Inspector: Muzna Rauf

Status: Compliant

Public Comments: Violation #38 - Non-operational light inside the walk-in freezer and heavy accumulation of dust on the hood filters above the Blodgett ovens has been abated with reasonable compliance.

Inspector: Muzna Rauf

Status: Compliant

Incident Attachments:

**Images:**



Public Comments: Violation #45 - heavy accumulation of grease and food debris on the floor underneath the fryer and gas stove, and accumulation ice on the floor of the walk-in freezer - has been abated with reasonable compliance.

Inspector: Muzna Rauf

Status: Compliant